|   | Ref # | Hits | Search Text | DBs |
|---|-------|------|-------------|-----|
| 1 | S1 | 2 | "2001285822" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 2 | S2 | 2 | "6115057".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 3 | S3 | 7 | "6226793" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 4 | S4 | 3 | "9944361" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 5 | S5 | 14 | "1071283" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 6 | S6 | 606 | (v adj chip vchip) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 7 | S7 | 775 | (parent$1 mother$1 father$1) with (determin$4 specif$4 indicat$4) with message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 8 | S8 | 0 | S6 and S7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 9 | S9 | 8 | S7 and "725"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 10 | S10 | 2 | "6718178".pn. and sms | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 11 | S11 | 2 | "6718178".pn. and (tv televisioN$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 12 | S12 | 3 | eurocypher | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 13 | S13 | 1360 | (operator$1 administrator$1) with (creat$4 specify$4) with message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 14 | S14 | 1107 | message same (EMM entitlement) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 15 | S17 | 18 | S13 and S14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 16 | S18 | 94 | (personnel) with (creat$4 specify$4) with message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 17 | S19 | 0 | S18 same S14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 18 | S20 | 7 | S18 and S14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 19 | S22 | 94 | (personnel) with (creat$4 specify$4) with (emm ecm message$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 20 | S23 | 4070 | entitlement$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 21 | S24 | 7 | S22 and S23 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 22 | S26 | 9 | S22 and "725"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 23 | S29 | 2092 | (person$1el$1 operator$1 admin$1 administrator$1 programmer$1) with (creat$4 specify$4 edit$4 ) with (emm ecm message$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 24 | S30 | 21 | S29 and S14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 25 | S31 | 30548 | yamauchi.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 26 | S35 | 12806 | (conditional$2 parental$2) near4 (control$2 access$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 27 | S36 | 12 | S31 and S35 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 28 | S37 | 126 | yamauchi-atsushi.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 29 | S38 | 94 | (personnel) with (creat$4 specify$4) with (emm ecm message$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 30 | S39 | 4 | S38 and "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 31 | S40 | 8 | "200103341" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 32 | S41 | 3 | "7092729".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 33 | S42 | 16 | ("20010011350" \| "20020080160" \| "20030133418" \| "5966663" \| "6005565" \| "6057872" \| "6133912" \| "6226098" \| "6229621" \| "6307939" \| "6393562" \| "6449494" \| "6466671" \| "6539212" \| "6912519" \| "6951029").PN. | US-PGPUB; USPAT; USOCR |
| 34 | S43 | 36 | (cirrus.asn. thomson.asn.) and emm | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 35 | S44 | 13 | (cirrus.asn. thomson.asn.) and emm and (creat$4 specif$ edit$4) same message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

|  | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 1 | S1 | 139 | 725/30.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 2 | S3 | 179 | S2 not S1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 3 | S4 | 636 | 725/25.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 4 | S5 | 83 | 725/27.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 5 | S6 | 46 | S5 not (S1 S2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 6 | S7 | 493 | S4 not (S1 S2 S5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 7 | S8 | 41 | S2 and (addressable addressed) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 8 | S9 | 614 | emm and entitlement$1 adj2 (manag$6) adj messag$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 9 | S10 | 7 | S9 and S1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 10 | S11 | 301 | emm same (block$4 restrict$4 inhibit$4 ) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 11 | S12 | 119 | S11 and S9 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 12 | S13 | 0 | S11 and S1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 13 | S14 | 12 | S11 and (S1 S2 S4 S5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 14 | S15 | 44687 | (block$4 restrict$4 inhibit$4 ) near2 code$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 15 | S16 | 139 | deauthoriz$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

|  | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 16 | S17 | 229 | de$3authoriz$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 17 | S18 | 15 | S17 and (S1 S2 S4 S5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 18 | S19 | 0 | do adj2 watch$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 19 | S20 | 24456 | forbid$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 20 | S22 | 6 | tivo.asn. and parent$4 adj2 control$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 21 | S23 | 214587 | prohibit$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 22 | S24 | 116 | S23 and (S1 S2 S4 S5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 23 | S26 | 8 | (S1 S2 S4 S5) and S23 same (pin password$1 passcode$1 pass adj code$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 24 | S27 | 14 | "463"/$.ccls. and S23 same (pin password$1 passcode$1 pass adj code$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 25 | S21 | 15 | S20 and (S1 S2 S4 S5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 26 | S28 | 7153 | request$4 near4 permissioN$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 27 | S29 | 59 | S28 and (S1 S2 S4 S5 "463"/$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 28 | S30 | 801 | 463/29.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 29 | S31 | 10 | 463/29.ccls. and (parent$3 adj control$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 30 | S33 | 27 | (parent$3 adj control$3) with (remotely remote adj (locatioN$1 computer$1 terminal$1)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 31 | S32 | 19 | (parent$3 adj control$3) with remotely | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 32 | S34 | 8 | S33 not S32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 33 | S2 | 212 | 725/28.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 34 | S35 | 256 | voluntar$4 near4 (restrict$4 blocking blocked inhibit$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 35 | S36 | 2 | S35 and (S1 S2 S4 S5 "463"/$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 36 | S37 | 2 | "7185352".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 37 | S38 | 592 | ecm and emm | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 38 | S39 | 151 | S38 and "725"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 39 | S40 | 129 | emm same (personalis$6 personaliz$6 customiz$6 individual$6 custom) with message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 40 | S41 | 189 | emm same (personalis$6 personaliz$6 customiz$6 individual$6 custom specific$4) with message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 41 | S42 | 18 | S41 and (S1 S2 S4 S5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 42 | S43 | 28319 | doubl$5 near4 (lock$4 block$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 43 | S45 | 117 | S40 not S42 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 44 | S46 | 7 | emm same (personalis$6 personaliz$6 customiz$6 custom) with message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

|  | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 45 | S48 | 16 | emm same (personalis$6 personaliz$6 customiz$6 individual$6 custom specific$4 creat$4 input$4) adj2 message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 46 | S51 | 32 | (US-20060277566-$ or US-20050240961-$ or US-20050125822-$ or US-20040210924-$ or US-20030061606-$ or US-20060041903-$ or US-20020010920-$ or US-20050028207-$ or US-20030126594-$ or US-20030051238-$ or US-20070124760-$ or US-20030037329-$ or US-20020023262-$ or US-20040019903-$ or US-20020128061-$ or US-20070011705-$ or US-20060031883-$ or US-20050251827-$ or US-20050022229-$ or US-20030169879-$ or US-20020120928-$).did. or (US-4890319-$ or US-6889207-$ or US-6732367-$ or US-6804357-$ or US-6115079-$ or US-6020882-$ or US-6854009-$ or US-6760382-$ or US-6487720-$ or US-5991400-$ or US-7191335-$).did. | US-PGPUB; USPAT |
| 47 | S52 | 8 | (S50 S51) and emm | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 48 | S53 | 252 | emm same (parent$4 adj2 control$3 block$4 lock$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 49 | S54 | 91 | emm with (parent$4 adj2 control$3 block$4 lock$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 50 | S58 | 1 | emm near4 (edit$4) and emm same (parent$4 adj2 control$3 block$4 lock$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

|  | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 51 | S57 | 52 | emm near4 ( generat$4 creat$4) and emm same (parent$4 adj2 control$3 block$4 lock$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 52 | S59 | 6 | emm near4 ( generat$4 creat$4) near4 (user$1 viewer$1 operator$1) and emm same (parent$4 adj2 control$3 block$4 lock$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 53 | S61 | 16 | (user$1 viewer$1 operator$1) with emm with (edit$4 modif$4 generat$4 creat$4) and emm same (parent$4 adj2 control$3 block$4 lock$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 54 | S62 | 10 | S61 not S59 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 55 | S63 | 3 | emm with rating$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 56 | S50 | 16 | "20060031883" ("6020882" "4605964" "6212679" "6360367" "20020095673" "20020013941" "5001554").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

|   | Ref # | Hits | Search Text | DBs |
|---|-------|------|-------------|-----|
| 1 | S1 | 144275 | (display$4) with (notification$1 notif$4 message$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 2 | S8 | 144649 | (display$4) with (notification$1 notif$4 message$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 3 | S9 | 636 | 725/25.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 4 | S10 | 83 | 725/27.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 5 | S11 | 212 | 725/28.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 6 | S12 | 88 | 725/29.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 7 | S13 | 139 | 725/30.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 8 | S14 | 741 | 725/31.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 9 | S15 | 274 | S8 and (S9 S10 S11 S12 S13 S14) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 10 | S16 | 76 | S8 and (S11) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 11 | S18 | 2 | "4890321".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 12 | S17 | 2 | "5699104".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 13 | S19 | 547028 | (block$3 lock$3) same (identification$1 identif$4 id ids) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 14 | S20 | 324 | S19 and (S9 S10 S11 S12 S13 S14) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 15 | S27 | 637 | attempt$4 near4 (over$2rid$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

|    | Ref # | Hits | Search Text | DBs |
|----|-------|------|-------------|-----|
| 16 | S28 | 6 | S27 and (S9 S10 S11 S12 S13 S14) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 17 | S29 | 7522 | (over$2rid$4) same (pin passcode$1 password$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 18 | S30 | 27 | S29 and (S9 S10 S11 S12 S13 S14) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 19 | S31 | 6327 | display$4 same (custom$4 personal$5) near5 message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 20 | S32 | 19 | S31 and (S9 S10 S11 S12 S13 S14) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 21 | S34 | 1 | 705/1.ccls. and (v adj chip vchip) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 22 | S35 | 1 | ("2003/0046100").URPN. | USPAT |
| 23 | S36 | 16 | "705"/$.ccls. and (v adj chip vchip) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 24 | S37 | 31781 | view$4 with restrict$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 25 | S38 | 636 | 725/25.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 26 | S39 | 83 | 725/27.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 27 | S40 | 212 | 725/28.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 28 | S41 | 88 | 725/29.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 29 | S42 | 139 | 725/30.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 30 | S43 | 741 | 725/31.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 31 | S44 | 145 | S37 and (S38 S39 S40 S41 S42 S43) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 32 | S46 | 35010 | (personal individual custom personalis$6 personaliz$6 individuali$7 customi$7) near4 (message$1 note notes) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 33 | S47 | 60 | S46 and (S38 S39 S40 S41 S42 S43) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 34 | S50 | 110 | (personal individual custom personalis$6 personaliz$6 individuali$7 customi$7) near4 (message$1 note notes) with (parent$2 father$1 mother$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 35 | S51 | 1 | S50 and "725"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 36 | S52 | 5746 | (message$1 note notes) with (parent$2 father$1 mother$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 37 | S53 | 18 | (message$1 note notes) with (parent$2 father$1 mother$1) same (caution$4 warn$4 advis$4) with (child$1 children$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 38 | S54 | 49 | (message$1 note notes) with (parent$2 father$1 mother$1) same (inappropriat$4 appropriat$4) near4 content$1 same (child$1 children$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 39 | S57 | 5746 | (message$1 note notes) with (parent$2 father$1 mother$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 40 | S59 | 31781 | view$4 with restrict$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 41 | S60 | 163 | S59 and S57 | US-PGPUB; USPAT; USOCR |
| 42 | S62 | 104 | (message$1 note notes) with (parent$2 father$1 mother$1) same (alert$4) same (child$1 children$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 43 | S65 | 50 | S62 and (television tv video$1 game$1 gaming$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 44 | S68 | 2 | "6212679".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 45 | S69 | 113 | (message$1 note notes) with (parent$2 father$1 mother$1) same (notify$3 notificat$5) with (child$1 children$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 46 | S70 | 164 | (parent$2 father$1 mother$1) same (notify$3 notificat$5) with (message$1 note notes) same (child$1 children$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 47 | S73 | 83 | (S69 S70) and (television tv video$1 game$1 gaming$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 48 | S74 | 122 | S60 and (catv television tv video$1 game$1 gaming$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 49 | S78 | 571 | (( (message$1 note notes) same (inappropriat$4 appropriat$4) ) or (notification$1 notify$3 alert$4) ) and (parental adj2 control$1) same (catv television tv video$1 game$1 gaming$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 50 | S77 | 635 | (( (message$1 note notes) same (inappropriat$4 appropriat$4) ) or (notification$1 notify$3 alert$4) ) and (parent$3 adj2 control$1) same (catv television tv video$1 game$1 gaming$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 51 | S80 | 15832 | "725"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 52 | S81 | 262 | S80 and S77 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 53 | S82 | 65017 | "463"/$.ccls. "273"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 54 | S83 | 42 | S82 and S77 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 55 | S84 | 29999 | "715"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 56 | S85 | 55043 | "709"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 57 | S86 | 57 | S85 and S77 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 58 | S87 | 123433 | "455"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 59 | S89 | 39 | S84 and S77 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 60 | S88 | 27 | S87 and S77 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 61 | S90 | 35 | ("20040117831" \| "20050169255" \| "20050204382" \| "5577102" \| "5590186" \| "5742668" \| "5765108" \| "5768276" \| "5806000" \| "5839076" \| "5878397" \| "5915222" \| "5933778" \| "5946629" \| "5946630" \| "5978685" \| "6005845" \| "6035104" \| "6049713" \| "6112084" \| "6119167" \| "6128481" \| "6134432" \| "6138006" \| "6138146" \| "6167248" \| "6212377" \| "6219694" \| "6223046" \| "6249808" \| "6253061" \| "6289223" \| "6308075" \| "6349140" \| "6360272").PN. | US-PGPUB; USPAT; USOCR |
| 62 | S91 | 2 | (parent$3 adj2 control$1) AND S90 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 63 | S92 | 0 | (parent$3 adj2 control$1) same (custom personaliz$6 personalis$6 customiz$6) adj2 message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 64 | S93 | 408 | (parent$3 adj2 control$1) same message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 65 | S94 | 70 | S93 and "725"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 66 | S95 | 10 | (parent$3 adj2 control$1 content$1 near4 (block$4 restrict$5) view$3 near4 restrict$5) same (custom personaliz$6 personalis$6 customiz$6) adj2 message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 67 | S99 | 48 | (parent$3 adj2 control$1 content$1 near4 (block$4 restrict$5) view$3 near4 restrict$5) and stop adj2 view$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 68 | S97 | 6 | (parent$3 adj2 control$1 content$1 near4 (block$4 restrict$5) view$3 near4 restrict$5) same (supervisor$4) NEAR3 message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 69 | S105 | 165 | display$4 with (restricted adj2 access$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 70 | S107 | 46 | S105 and (S80 S82 S84 S85) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 71 | S108 | 2 | "4890321".pn. | US-PGPUB; USPAT; USOCR; .EPO; JPO; DERWENT; IBM_TDB |
| 72 | S109 | 22 | (parent$3 adj2 control$1 content$1 near4 (block$4 restrict$5) view$3 near4 restrict$5) same (custom personaliz$6 personalis$6 customiz$6 PRE ADJ STORED PRESTORED pre$2determin$4) adj2 message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 73 | S110 | 112 | (parent$3 adj2 control$1 content$1 near4 (block$4 restrict$5) view$3 near4 restrict$5) and stop adj2 (watch$4 view$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 74 | S111 | 1 | (parent$3 adj2 controlled) same message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 75 | S112 | 416 | (parent$3 adj2 controlled) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 76 | S113 | 15832 | "725"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 77 | S114 | 65017 | "463"/$.ccls. "273"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 78 | S115 | 29999 | "715"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 79 | S116 | 55043 | "709"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 80 | S117 | 14 | (parent$3 adj2 controlled) and (S113 S114 S115 S116) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 81 | S118 | 144669 | (display$4) with (notification$1 notif$4 message$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 82 | S119 | 636 | 725/25.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 83 | S120 | 83 | 725/27.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 84 | S121 | 212 | 725/28.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 85 | S122 | 88 | 725/29.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 86 | S123 | 139 | 725/30.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 87 | S124 | 741 | 725/31.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 88 | S125 | 274 | S118 and (S119 S120 S121 S122 S123 S124) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 89 | S126 | 1514 | (S119 S120 S121 S122 S123 S124) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 90 | S127 | 89 | (display$4) with (screen adj2 saver$1 notification$1 notif$4 message$1 warning$1 ) same (block$4 dis$2abl$4 restrict$4) and S126 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 91 | S128 | 6 | (display$4) with (screen adj2 saver$1 notification$1 notif$4 message$1 warning$1 ) same (inhibit$4) and S126 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 92 | S129 | 40 | (display$4) with (custom customiz$6 personaliz$6 personalis$6) and S126 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 93 | S133 | 161046 | (S113 S114 S115 S116) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 94 | S134 | 11 | (display$4) with (custom customiz$6 personaliz$6 personalis$6) with (screen$1 adj saver$1) and S133 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 95 | S136 | 2485 | parental$2 adj2 control$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 96 | S137 | 985 | (lock$2out$1 blocked blocking inhibit$4 restrict$4) near5 (program$4 show$1 video$1 game$1 gaming$1 movie$1) same (rating$1 content adj advisory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 97 | S138 | 161 | S136 and S137 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 98 | S139 | 1 | S138 and S114 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 99 | S140 | 58 | S136 and S114 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 100 | S141 | 113857 | (lock$2out$1 blocked blocking inhibit$4 restrict$4) same (pin pass adj code$1 passcode$1 password$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 101 | S142 | 146 | S141 same S137 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 102 | S143 | 5 | S142 and S114 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 103 | S144 | 9 | S141 and S137 and S114 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 104 | S145 | 9123 | (lock$2out$1 blocked blocking inhibit$4 restrict$4) and S114 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 105 | S146 | 38 | (lock$2out$1 blocked blocking inhibit$4 restrict$4) and S136 and S114 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 106 | S147 | 1961 | (user$1 viewer$1 child$1 children$1 minor$1) with (attempts attempting attempted) with (password$1 pass$2code$1 pin) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 107 | S148 | 24 | S147 and S126 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 108 | S149 | 15 | S147 and S114 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 109 | S150 | 390 | (child$1 children$1 minor$1) with (password$1 pass$2code$1 pin) same (lock$2out$1 blocked blocking inhibit$4 restrict$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 110 | S151 | 24 | S150 and "709"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 111 | S152 | 1579 | (child$1 children$1 minor$1) same (dis$1obey$3 mis$2behav$4 contraven$5 break$4 ignor$4 neglect$4 hack$4) same (password$1 pass$2code$1 pin) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 112 | S153 | 3 | S152 and S126 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 113 | S155 | 3 | S152 and "725"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 114 | S157 | 0 | S152 and "386"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 115 | S158 | 7 | "2003103627" "5331353".pn. "20020013941" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 116 | S159 | 3 | "2002101524". | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 117 | S154 | 20 | S152 and S114 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 118 | S156 | 12 | S152 and "709"/$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 119 | S160 | 1 | (parent$3 adj2 controlled) and S152 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 120 | S161 | 1 | S152 and (v adj chip$1 vchip$1 violen$3 adj chip$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 121 | S162 | 1557 | (child$1 children$1 minor$1) same (dis$1obey$3 mis$2behav$4 contraven$5 break$4 ignor$4 neglect$4 guess$4) same (password$1 pass$2code$1 pin) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 122 | S163 | 0 | S162 and (v adj chip$1 vchip$1 violen$3 adj chip$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 123 | S164 | 1 | (parent$3 adj2 controlled) and S162 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 124 | S165 | 2 | "4890321".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 125 | S166 | 2 | "5699104".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 126 | S167 | 37 | (US-20060026279-$ or US-20030061606-$ or US-20030188307-$ or US-20060242662-$ or US-20050086069-$ or US-20040051733-$ or US-20070060136-$ or US-20050228881-$ or US-20050120082-$ or US-20050015804-$ or US-20020065890-$ or US-20050096009-$ or US-20050130586-$ or US-20030125033-$ or US-20040015985-$ or US-20020116703-$ or US-20020095673-$ or US-20060064715-$ or US-20060075423-$ or US-20060093142-$).did. or (US-4450481-$ or US-4245245-$ or US-6852033-$ or US-6445783-$ or US-7054654-$ or US-5574728-$ or US-6212679-$ or US-RE36988-$ or US-6360367-$ or US-5990927-$ or US-5001554-$ or US-4605973-$ or US-4605964-$ or US-4520404-$ or US-4890319-$).did. or (WO-2002101524-$ or US-7054654-$).did. | US-PGPUB; USPAT; DERWENT |
| 127 | S168 | 16 | S167 and (password$1 pass adj code$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 128 | S169 | 18 | S167 and (password$1 pass adj code$1 passcode$1 pin) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 129 | S170 | 12 | "1034125" | USOCR; JPO; DERWENT |
| 130 | S171 | 3 | "10341425" | USOCR; JPO; DERWENT |
| 131 | S172 | 3705 | fuji.asn. and (game gaming$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 132 | S174 | 3 | fuji.asn. and (game gaming$1) AND WARNING adj2 message$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 133 | S173 | 48 | fuji.asn. and (game gaming$1) AND WARNING | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |